

EMBEDDED OPEN FRAME

Embedded Open Frame Touch Screen TACC Series
NO Touch/ Player/ Android/ PC



worldtradedisplay.com

Your choice to
discover the
technologies



Wide range
of innovative
digital products



Increase your
growth and
company profit



Panel Specification	Display Size (inch)	7	10,1	10,4	13,3	15	15,6	17
	Display Ratio	16:9	16:10	4:3	16:9	4:3	16:9	4:3
	Active Area (H x V) (mm)	155x87	219x138	211x158	294x165	308x232	349x197	339x271
	Viewing Angle (H/ V)	178°/178°	178°/178°	160°/160°	170°/170°	160°/160°	170°/160°	170°/160°
	Brightness (cd/m2)	300 Nits	300 Nits	300 Nits	300 Nits	300 Nits	300 Nits	300 Nits
	Contrast Ratio	700:1	900:1	500:1	700:1	2500:1	800:1	800:1
	Display Resolution	1024*600	1920*1080	1366*768	1920*1080	1024*768	1920*1080	1280*1024
Touch Sensor (NO Touch Optional)	Type/ Points	PCAP 10P	PCAP 10P	PCAP 10P	PCAP 10P	PCAP 10P	PCAP 10P	PCAP 10P
	Size	7"	10,1"	10,4"	13,3"	15"	15,6"	17"
	Active Area (mm)	155x87	219x138	213x160	294x165	308x232	349x197	339x271
	Total Thickness	4 mm	4 mm	4 mm	4 mm	4 mm	4 mm	4 mm
	Version	Indoor						
	Special Treatment	Tempered (AR Anti-Reflective/ AG Antiglare/ Bonding)						
	Interface Type	USB, (RS232)						
Compatible O/S	Windows, Linux, Others							
Monitor Specification	Installation (VESA)	75x75	75x75	75x75 / 100x100	75x75	100x100	100x75	100x75
	Version/ Style	Embedded						
	Interface	VGA, HDMI, (DP)						
	Input Voltage	Max: 45 W/h - AC 100-240 V ~ (+/- 10%) 50/60 Hz						
	Media Player	Optional						
	Speaker	-						
	Warrantly	2 Years (Panel 1 Year)						
	Certifications	CE - FCC - ROHS - Others on Demand						
PC System (Optional)	CPU	i3/ i5/ i7						
	RAM	4/ 8/ 16 Gb						
	SSD	64/ 128/ 256 Gb						
	Network	Wi-Fi, RJ45, VGA, HDMI 1.4, HDMI 2.0, 4xUSB 3.0						
	System O.S.	Windows 10 Trial						
	Other Function	-						
Android (Optional)	O.S. Version	Android 7.1.2 or higher version						
	Processor	Rockchip® 3288 (1.8GHz, Quad Core)						
	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)						
	Media Resolutions	1920*1080						
	RAM	2 Gb						
	Flash	8 Gb EMMC						
	USB	USB 2.0						
	LAN	10M/100M Ethernet						
Wi-Fi	802.11 b/g/n Wi-Fi							
Environmental	Temperature (Consumer)	Consumer Panel: -5°C +45°C (Operating) / -20°C +60°C (Storage)						
	Temperature (Industrial)	Industrial Panel (Opt.): -25°C +75°C (Operating) / -45°C +85°C (Storage)						
	Humidity	+20% +80% (Operating) / +10 +90% (Storage)						
Accessory	Included	Power Cable, VGA Cable, HDMI Cable, USB Touch Cable, Brackets						
	Others	-						
Type of packaging	Net Weight (Kg)	0.65 Kg (1Pcs)	1.20 Kg (1Pcs)	1.75 Kg (1Pcs)	2.4 Kg (1Pcs)	2.70 Kg (1Pcs)	2.75 Kg (1Pcs)	3.65 Kg (1Pcs)
	Gross Weight (Kg)	2.55 Kg (1Pcs)	2.80 Kg (1Pcs)	3.70 Kg (1Pcs)	4.20 Kg (1Pcs)	5.20 Kg (1Pcs)	5.20 Kg (1Pcs)	6.35 Kg (1Pcs)
	Net Item Size (L x W x H mm)	185x120x35	265x185x40	268x212x40	336x208x37	395x245x45	394x240x45	385x315x45
	Packing Size (L x W x H mm)	255x330x120	370x275x140	410x170x340	440x140x340	465x145x385	525x360x170	525x440x170
Optional	Remark 1							
	Remark 2							
Note	World Trade Display designs and markets a wide range of touch screen monitors from 7" up to 110" also in All in One or Android solution both in wallmount and embedded versions. With an intense emotional involvement of the public in the wall-mounted models and easy installation for the solutions to be integrated into the kiosks, WTD solutions meet the needs of all international players.							



Display & Digital Signage Solutions

Panel Specification	Display Size (inch)	19	21,5	23,6	27	32	43
	Display Ratio	5:4	16:9	16:9	16:9	16:9	16:9
	Active Area (H x V)(mm)	377x302	479x270	525x297	597x337	699x393	942x530
	Viewing Angle (H/ V)	178°/178°	178°/178°	178°/178°	178°/178°	178°/178°	178°/178°
	Brightness (cd/m2)	300 Nits	300 Nits	300 Nits	300 Nits	300 Nits	300 Nits
	Contrast Ratio	800:1	1000:1	1000:1	1000:1	1200:1	1200:1
	Display Resolution	1280 x 1024	1920*1080	1920*1080	1920*1080	1920*1080	1920*1080
Touch Sensor (NO Touch Optional)	Type/ Points	PCAP 10P	PCAP 10P	PCAP 10P	PCAP 10P	PCAP 10P	PCAP 10P
	Size	19"	21,5"	23,6"	27"	32"	43"
	Active Area (mm)	377x302	479x270	525x297	597x337	699x393	942x530
	Total Thickness	4 mm	4 mm	4 mm	4 mm	4 mm	4 mm
	Version/ Treatment	Indoor					
	Special Treatment	Tempered (AR Anti-Reflective/ AG Antiglare/ Bonding)					
	Interface Type	USB, (RS232)					
Compatible O/S	Windows, Linux, Others						
Monitor Specification	Installation (VESA)	75x75 / 100x100	75x75 / 100x100	75x75 / 100x100	100x100	100x100	400x400
	Version/ Style	Embedded					
	Interface	VGA, HDMI, (DP)					
	Input Voltage	Max: 90 W/h - AC 100-240 V ~ (+/- 10%) 50/60 Hz					
	Media Player	Optional					
	Speaker	-					
	Warranty	2 Years (Panel 1 Year)					
	Certifications	CE - FCC - ROHS - Others on Demand					
PC System (Optional)	CPU	i3/ i5/ i7					
	RAM	4/ 8/ 16 Gb					
	SSD	64/ 128/ 256 Gb					
	Network	Wi-Fi, RJ45, VGA, HDMI 1.4, HDMI 2.0, 4xUSB 3.0					
	System O.S.	Windows 10 Trial					
	Other Function	-					
Android (Optional)	O.S. Version	Android 7.1.2 or higher version					
	Processor	Rockchip® 3288 (1.8GHz, Quad Core)					
	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)					
	Media Resolutions	1920*1080					
	RAM	2 Gb					
	Flash	8 Gb EMMC					
	USB	USB 2.0					
	LAN	10M/100M Ethernet					
Wi-Fi	802.11 b/g/n Wi-Fi						
Environmental	Temperature (Consumer)	Consumer Panel: -5°C +45°C (Operating) / -20°C +60°C (Storage)					
	Temperature (Industrial)	Industrial Panel (Opt.): -25°C +75°C (Operating) / -45°C +85°C (Storage)					
	Humidity	+20% +80% (Operating) / +10 +90% (Storage)					
Accessory	Included	Power Cable, VGA Cable, HDMI Cable, USB Touch Cable, Brackets					
	Others	-					
Type of packaging	Net Weight (Kg)	4.4 Kg (1Pcs)	4.9 Kg (1Pcs)	6.3 Kg (1Pcs)	7.8 Kg (1Pcs)	11.9 Kg (1Pcs)	24 Kg (1Pcs)
	Gross Weight (Kg)	7.3 Kg (1Pcs)	7.9 Kg (1Pcs)	6.7 Kg (1Pcs)	11.65 Kg (1Pcs)	16.35 Kg (1Pcs)	30.2 Kg (1Pcs)
	Net Item Size (L x W x H mm)	429x41x356	533x41x321	572x41x346	657x41x398	770x464x60	1002x750x60
	Packing Size (L x W x H mm)	565x170x480	670x170x445	720x170x510	795x170x520	905x170x595	1145x210x725
Optional	Remark 1						
	Remark 2						
Note	World Trade Display designs and markets a wide range of touch screen monitors from 7" up to 110" also in All in One or Android solution both in wallmount and embedded versions. With an intense emotional involvement of the public in the wall-mounted models and easy installation for the solutions to be integrated into the kiosks, WTD solutions meet the needs of all international players.						



Display & Digital Signage Solutions

World Trade Display reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products. WTD, World Trade Display it's a registered trademarks of World Trade Display Srl. All other trademarks are the property of their respective owners. Copyright World Trade Display Srl. All rights reserved.