

MONITOR TOUCH

STYLUS Series Wallmount Version



worldtradedisplay.com

Your choice to discover the technologies



Wide range of innovative digital products



Increase your growth and company profit



Panel Specification	Display Size (inch)	32	43	49	55
	Display Ratio	16:9	16:9	16:9	16:9
	Active Area (H x V) (mm)	698x393	941x532	1077x608	1210x680
	Viewing Angle (H/ V)	178°/178°	178°/178°	178°/178°	178°/178°
	Brightness (cd/m2)	400 Nits	500 Nits	500 Nits	500 Nits
	Contrast Ratio	1000:1	1200:1	1500:1	1500:1
	Display Resolution	1920*1080	1920*1080	1920*1080	1920*1080

Touch Sensor	Type/ Points	PCAP 10P	PCAP 10P	PCAP 10P	PCAP 10P
	Size	32"	43"	49"	55"
	Active Area (mm)	698x393	941x532	1077x608	1210x680
	Total Thickness	4 mm	4 mm	4 mm	4 mm
	Version/ Treatment	Indoor/ Tempered			
	Special Treatment	-			
	Interface Type	USB			
	Compatible O/S	Windows, Linux, Others			

Monitor Specification	Installation (VESA)	400x400	400x400	400x400	400x400
	Version/ Style	Wallmount			
	Interface	VGA, HDMI			
	Input Voltage	Max: 66 W/h - AC 100-240 V ~ (+/- 10%) 50/60 Hz			
	Media Player	Yes			
	Speaker	2x5W Built in Stereo			
	Warranty	2 Years			
	Certifications	CE - FCC - ROHS - Others on Demand			

PC System	CPU	-
	RAM	-
	SSD	-
	Network	-
	System O.S.	-
	Other Function	-

Android	O.S. Version	-
	Processor	-
	Media Formats	-
	Media Resolutions	-
	RAM	-
	Flash	-
	USB	-
	LAN	-
Wi-Fi	-	

Environmental	Temperature (Consumer)	Consumer Panel: 0°C +40°C (Operating) / -20°C +60°C (Storage)
	Temperature (Industrial)	Industrial Panel (Opt.): -25°C +75°C (Operating) / -45°C +85°C (Storage)
	Humidity	+20% +80% (Operating) / +10 +90% (Storage)

Accessory	Included	Remote Control, Power Cable, Wallmount Brackets
	Others	-

Type of packaging	Net Weight (Kg)	15.7 Kg (1Pcs)	24.2 Kg (1Pcs)	22.1 Kg (1Pcs)	25.6 Kg (1Pcs)
	Gross Weight (Kg)	17.3 Kg (1Pcs)	26.7 Kg (1Pcs)	29.2 Kg (1Pcs)	34.2 Kg (1Pcs)
	Net Item Size (L x W x H mm)	762x58x460	1020x75x608	1158x62x689	1296x74x767
	Packing Size (L x W x H mm)	854x156x560	1090x190x700	1240x190x790	1570x190x855

Optional	Remark 1	
	Remark 2	

Note	The STYLUS series created by WTD, with proven flexibility of use, in fact meets the needs of the industrial and consumer sector thanks to its laminated profile.
------	--



Display & Digital Signage Solutions

Panel Specification	Display Size (inch)	65	75	86	98
	Display Ratio	16:9	16:9	-	-
	Active Area (H x V) (mm)	1427x805	1650x927	-	-
	Viewing Angle (H/ V)	178°/178°	178°/178°	-	-
	Brightness (cd/m2)	500 nits	500 nits	-	-
	Contrast Ratio	2000:1	2000:1	-	-
	Display Resolution	1920*1080	1920*1080	-	-
Touch Sensor	Type/ Points	PCAP 10P	PCAP 10P	-	-
	Size	65"	75"	-	-
	Active Area (mm)	1427x805	1650x927	-	-
	Total Thickness	4 mm	4 mm	-	-
	Version/ Treatment	Indoor/ Tempered			
	Special Treatment	-			
	Interface Type	USB			
	Compatible O/S	Windows, Linux, Others			
Monitor Specification	Installation (VESA)	400x400	400x400	-	-
	Version/ Style	Wallmount			
	Interface	VGA, HDMI			
	Input Voltage	Max: 66 W/h - AC 100-240 V ~ (+/- 10%) 50/60 Hz			
	Media Player	Yes			
	Speaker	2x5W Built in Stereo			
	Warranty	2 Years			
	Certifications	CE - FCC - ROHS - Others on Demand			
PC System	CPU	-			
	RAM	-			
	SSD	-			
	Network	-			
	System O.S.	-			
	Other Function	-			
Android	O.S. Version	-			
	Processor	-			
	Media Formats	-			
	Media Resolutions	-			
	RAM	-			
	Flash	-			
	USB	-			
	LAN	-			
Wi-Fi	-				
Environmental	Temperature (Consumer)	Consumer Panel: 0°C +40°C (Operating) / -20°C +60°C (Storage)			
	Temperature (Industrial)	Industrial Panel (Opt.): -25°C +75°C (Operating) / -45°C +85°C (Storage)			
	Humidity	+20% +80% (Operating) / +10 +90% (Storage)			
Accessory	Included	Remote Control, Power Cable, Wallmount Brackets			
	Others	-			
Type of packaging	Net Weight (Kg)	13,6 Kg (1Pcs)	18,7 Kg (1Pcs)	-	-
	Gross Weight (Kg)	15,1 Kg (1Pcs)	19,3 Kg (1Pcs)	-	-
	Net Item Size (L x W x H mm)	1517x79x892	1733x91x928	-	-
	Packing Size (L x W x H mm)	1575x195x980	1813x210x1052	-	-
Optional	Remark 1				
	Remark 2				
Note	The STYLUS series created by WTD, with proven flexibility of use, in fact meets the needs of the industrial and consumer sector thanks to its laminated profile.				



Display & Digital Signage Solutions

World Trade Display reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products. WTD, World Trade Display it's a registered trademarks of World Trade Display Srl. All other trademarks are the property of their respective owners. Copyright World Trade Display Srl. All rights reserved.