

## STRETCHED DISPLAY

Ultra Wide Stretched Display SHOP Series  
Android



worldtradedisplay.com

Your choice to  
discover the  
technologies



Wide range  
of innovative  
digital products



Increase your  
growth and  
company profit



Panel Specification	Display Size (inch)	19	21	23.1	24	28	28.6	29
	Display Ratio	48:9	14.5:1	12:1	48:9	48:9	3.4:1	32:9
	Active Area (H x V) (mm)	476x89	526x36	585x48	597x112	698x131	698x196	705x196
	Viewing Angle (H/ V)	178°/178°	178°/178°	178°/ 178°	178°/178°	178°/178°	178°/178°	178°/178°
	Brightness (cd/m2)	250 Nits	250 Nits	250 Nits	250 Nits	250 Nits	250 Nits	250 Nits
	Contrast Ratio	1000:1	3000:1	1000:1	1000:1	1000:1	1000:1	3000:1
	Display Resolution	1920*158	1920*132	1920*158	1920*360	1920*158	1920*360	1920*158

NO Touch (Touch Sensor Optional)	Type/ Points	-	-	-	-	-	-	-
	Size	-	-	-	-	-	-	-
	Active Area (mm)	-	-	-	-	-	-	-
	Total Thickness	-	-	-	-	-	-	-
	Version	Indoor						
	Special Treatment	-						
	Interface Type	-						
Compatible O/S	-							

Monitor Specification	Installation (VESA)	-	-	-	-	-	-	-
	Version/ Style	Ultra Wide Stretched Bar Display						
	Interface	HDMI						
	Input Voltage	Max: 45 W/h - AC 100-240 V ~ (+/- 10%) 50/60 Hz						
	Media Player	Yes						
	Speaker	-						
	Warranty	2 Years (Panel 1 Year)						
Certifications	CE - FCC - ROHS - Others on Demand							

PC System (Optional)	CPU	i3/ i5/ i7						
	RAM	4/ 8/ 16 Gb						
	SSD	64/ 128/ 256 Gb						
	Network	Wi-Fi, RJ45, VGA, HDMI 1.4, HDMI 2.0, 4xUSB 3.0						
	System O.S.	Windows 10 Trial						
	Other Function	-						

Android (Optional)	O.S. Version	Android 9.0						
	Processor	T972 quad-core A55, frequency up to 1.9GHz						
	Media Formats	Video(MPG,AVI,MP4,RM,RMVB,TS),Audio(MP3,WMA),Image(JPG,GIF,BMP,PNG)						
	Media Resolutions	1920*1080						
	RAM	2 Gb						
	Flash	8 Gb EMMC						
	Ports	SD card socket, USB2.0*2, RJ-45*1, SD socket*1, HDMI*1,DC*1, Audio*1						
	LAN	10M/100M Ethernet(Network version screen only)						
Wi-Fi	Built-in WIFI (default 2.4G single frequency, configurable to 2.4G/5G dual frequency)BT4.2							

Environmental	Temperature (Consumer)	Consumer Panel: -10°C + 30°C (Operating) / -20°C + 55°C (Storage)						
	Temperature (Industrial)	-						
	Humidity	+10% +80% (Operating) / +5 +95% (Storage)						

Accessory	Included	Scheduling software, Remote control, Key, Power cable, SD card						
	Others	Stand Hook-Mounted						

Type of packaging	Net Weight (Kg)	2.1 Kg (1Pcs)	2.6 Kg (1Pcs)	3.4 Kg (1Pcs)	3.8 Kg (1Pcs)	4.3 Kg (1Pcs)	4.9 Kg (1Pcs)	5.5 Kg (1Pcs)
	Gross Weight (Kg)	2.8 Kg (1Pcs)	3.2 Kg (1Pcs)	4.2 Kg (1Pcs)	4.7 Kg (1Pcs)	5.1 Kg (1Pcs)	5.8 Kg (1Pcs)	6.7 Kg (1Pcs)
	Net Item Size (L x W x H mm)	493x30x110	545x30x57	598x16x60	614x30x133	722x44x155	723x44x220	732x36x230
	Packing Size (L x W x H mm)	653x40x100	653x40x100	653x40x100	653x40x100	653x40x100	653x40x100	653x40x100

Optional	Remark 1	
	Remark 2	

Note	World Trade Display designs and markets a very wide range of LCD/LED monitors in different sizes, from 7" up to 110" inches, always modern and elegant in shape. These screens are perfect for hanging on the wall or for installing on special self-supporting structures, ideal for exhibition stands, congresses, events or conferences. New WTD monitor designs are now a reality in the world of luxury hospitality.
------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



## Display & Digital Signage Solutions

Panel Specification	Display Size (inch)	35	36	37	42	47.1	48	49.5
	Display Ratio	18:1	32:9	16:4	36:9	24:1	6.1:1	32:9
	Active Area (H x V) (mm)	878x48	919x139	899x253	1040x260	1196x50	1194x224	1210x304
	Viewing Angle (H/ V)	178°/178°	178°/178°	178°/ 178°	178°/178°	178°/ 178°	178°/178°	178°/178°
	Brightness (cd/m2)	400 Nits	250 Nits	700 Nits	250 Nits	400 Nits	400 Nits	400 Nits
	Contrast Ratio	1000:1	1000:1	1000:1	3000:1	1000:1	1000:1	1000:1
	Display Resolution	2880*158	1920*290	1920*540	1920*480	3840*160	3840*720	1920*540

NO Touch (Touch Sensor Optional)	Type/ Points	-	-	-	-	-	-	-
	Size	-	-	-	-	-	-	-
	Active Area (mm)	-	-	-	-	-	-	-
	Total Thickness	-	-	-	-	-	-	-
	Version	Indoor						
	Special Treatment	-						
	Interface Type	-						
Compatible O/S	-							

Monitor Specification	Installation (VESA)	-	-	-	-	-	-	-
	Version/ Style	Ultra Wide Stretched Bar Display						
	Interface	HDMI						
	Input Voltage	Max: 45 W/h - AC 100-240 V ~ (+/- 10%) 50/60 Hz						
	Media Player	Yes						
	Speaker	-						
	Warranty	2 Years (Panel 1 Year)						
Certifications	CE - FCC - ROHS - Others on Demand							

PC System (Optional)	CPU	i3/ i5/ i7						
	RAM	4/ 8/ 16 Gb						
	SSD	64/ 128/ 256 Gb						
	Network	Wi-Fi, RJ45, VGA, HDMI 1.4, HDMI 2.0, 4xUSB 3.0						
	System O.S.	Windows 10 Trial						
	Other Function	-						

Android (Optional)	O.S. Version	Android 9.0						
	Processor	T972 quad-core A55, frequency up to 1.9GHz						
	Media Formats	Video(MPG,AVI,MP4,RM,RMVB,TS),Audio(MP3,WMA),Image(JPG,GIF,BMP,PNG)						
	Media Resolutions	1920*1080						
	RAM	2 Gb						
	Flash	8 Gb EMMC						
	Ports	SD card socket, USB2.0*2, RJ-45*1, SD socket*1, HDMI*1,DC*1, Audio*1						
	LAN	10M/100M Ethernet(Network version screen only)						
Wi-Fi	Built-in WIFI (default 2.4G single frequency, configurable to 2.4G/5G dual frequency)BT4.2							

Environmental	Temperature (Consumer)	Consumer Panel: -10°C + 30°C (Operating) / -20°C + 55°C (Storage)						
	Temperature (Industrial)	-						
	Humidity	+10% +80% (Operating) / +5 +95% (Storage)						

Accessory	Included	Scheduling software, Remote control, Key, Power cable, SD card						
	Others	Stand Hook-Mounted						

Type of packaging	Net Weight (Kg)	7.8 Kg (1 Pcs)	8.3 Kg (1 Pcs)	11.7 Kg (1 Pcs)	11.9 Kg (1 Pcs)	12.3 Kg (1 Pcs)	13.5 Kg (1 Pcs)	13.8 Kg (1 Pcs)
	Gross Weight (Kg)	8.4 Kg (1 Pcs)	9.2 Kg (1 Pcs)	12.2 Kg (1 Pcs)	12.6 Kg (1 Pcs)	13.1 Kg (1 Pcs)	14.3 Kg (1 Pcs)	14.7 Kg (1 Pcs)
	Net Item Size (L x W x H mm)	892x16x60	979x32x174	934x48x284	1060x62x284	1213x56x680	1222x47x252	1210x43x364
	Packing Size (L x W x H mm)	926x40x100	993x40x210	1042x60x300	1108x80x300	1258x50x414	1278x70x460	1285x55x520

Optional	Remark 1	
	Remark 2	

Note	World Trade Display designs and markets a very wide range of LCD/LED monitors in different sizes, from 7" up to 110" inches, always modern and elegant in shape. These screens are perfect for hanging on the wall or for installing on special self-supporting structures, ideal for exhibition stands, congresses, events or conferences. New WTD monitor designs are now a reality in the world of luxury hospitality.
------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



## Display & Digital Signage Solutions

World Trade Display reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products. WTD, World Trade Display it's a registered trademarks of World Trade Display Srl. All other trademarks are the property of their respective owners. Copyright World Trade Display Srl. All rights reserved.