

## WINDOW FACING DISPLAY

Window Facing Display GLAP Series  
Player/ Android/ PC



worldtradedisplay.com

Your choice to  
discover the  
technologies



Wide range  
of innovative  
digital products



Increase your  
growth and  
company profit



Panel Specification	Display Size (inch)	32	43	49	55
	Display Ratio	16:9	16:9	16:9	16:9
	Active Area (H x V) (mm)	703x397	944x532	1079x609	1214x685
	Viewing Angle (H/ V)	178°/ 178°	178°/178°	178°/ 178°	178°/ 178°
	Brightness (cd/m2)	2500 Nits	3000 Nits	3000 Nits	3000 Nits
	Contrast Ratio	2000:1	3000:1	3000:1	5000:1
	Display Resolution	1920*1080	3840*2160	3840*2160	3840*2160

NO Touch (Touch Sensor Optional)	Type/ Points	-	-	-	-
	Size	-	-	-	-
	Active Area (mm)	-	-	-	-
	Total Thickness	-	-	-	-
	Version/	Indoor			
	Special Treatment	-			
	Interface Type	-			
Compatible O/S	-				

Monitor Specification	Installation (VESA)	400x250	400x400	400x400	400x400
	Version/ Style	Wallmount			
	Interface	HDMI			
	Input Voltage	Max: 120 W/h - AC 100-240 V ~ (+/- 10%) 50/60 Hz			
	Media Player	Yes			
	Speaker	-			
	Warranty	2 Years (Panel 1 Year)			
	Certifications	CE - FCC - ROHS - Others on Demand			

PC System (Optional)	CPU	i3/ i5/ i7			
	RAM	4/ 8/ 16 Gb			
	SSD	64/ 128/ 256 Gb			
	Network	Wi-Fi, RJ45, VGA, HDMI 1.4, HDMI 2.0, 4xUSB 3.0			
	System O.S.	Windows 10 Trial			
	Other Function	-			

Android (Optional)	O.S. Version	Android 9.0 or higher version			
	Processor	T972 quad-core A55, main frequency up to 1.9GHz			
	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)			
	Media Resolutions	3840*2160			
	RAM	2 Gb			
	Flash	16 Gb EMMC			
	Ports	USB 2.0			
	LAN	10M/100M Ethernet			
Wi-Fi	Built-in WIFI (2.4G single frequency), BT4.2				

Environmental	Temperature (Consumer)	Consumer Panel: -5°C +45°C (Operating) / -10°C +50°C (Storage)			
	Temperature (Industrial)	Industrial Panel (Opt.): -25°C +75°C (Operating) / -45°C +85°C (Storage)			
	Humidity	10% ~ 80% (Operating) / 5% ~ 95% (Storage)			

Accessory	Included	Power Cable, HDMI Cable, Wallmount Brackets, Remote Controller			
	Others				

Type of packaging	Net Weight (Kg)	11.8 Kg (1 Pcs)	15.6 Kg (1 Pcs)	18.4 Kg (1 Pcs)	21.3 Kg (1Pcs)
	Gross Weight (Kg)	19.5 Kg (1 Pcs)	21.7 Kg (1 Pcs)	25.9 Kg (1 Pcs)	30.3 Kg (1Pcs)
	Net Item Size (L x W x H mm)	722x57x416	963x57x551	1098x57x628	1232x57x704
	Packing Size (L x W x H mm)	1200x180x730	1300x190x775	1350x200x810	1400x200x860

Optional	Remark 1				
	Remark 2				

Note	World Trade Display designs and markets a very wide range of LCD/LED monitors in different sizes, from 7" up to 110" inches, always modern and elegant in shape. These screens are perfect for hanging on the wall or for installing on special self-supporting structures, ideal for exhibition stands, congresses, events or conferences. New WTD monitor designs are now a reality in the world of luxury hospitality.				
------	---	--	--	--	--



Display & Digital Signage Solutions

Panel Specification	Display Size (inch)	65	75	86	-
	Display Ratio	16:9	16:9	16:9	-
	Active Area (H x V) (mm)	1433x808	1653x932	1938x1098	-
	Viewing Angle (H/ V)	178°/178°	178°/ 178°	178°/ 178°	-
	Brightness (cd/m2)	3000 Nits	3000 Nits	3000 Nits	-
	Contrast Ratio	5000:1	5000:1	5000:1	-
	Display Resolution	3840*2160	3840*2160	3840*2160	-

NO Touch (Touch Sensor Optional)	Type/ Points	-	-	-	-
	Size	-	-	-	-
	Active Area (mm)	-	-	-	-
	Total Thickness	-	-	-	-
	Version/	Indoor			
	Special Treatment	-			
	Interface Type	-			
Compatible O/S	-				

Monitor Specification	Installation (VESA)	600x400	600x400	800x600	-
	Version/ Style	Wallmount			
	Interface	HDMI			
	Input Voltage	Max: 180 W/h - AC 100-240 V ~ (+/- 10%) 50/60 Hz			
	Media Player	Yes			
	Speaker	-			
	Warranty	2 Years (Panel 1 Year)			
	Certifications	CE - FCC - ROHS - Others on Demand			

PC System (Optional)	CPU	i3/ i5/ i7			
	RAM	4/ 8/ 16 Gb			
	SSD	64/ 128/ 256 Gb			
	Network	Wi-Fi, RJ45, VGA, HDMI 1.4, HDMI 2.0, 4xUSB 3.0			
	System O.S.	Windows 10 Trial			
	Other Function	-			

Android (Optional)	O.S. Version	Android 9.0 or higher version			
	Processor	T972 quad-core A55, main frequency up to 1.9GHz			
	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)			
	Media Resolutions	3840*2160			
	RAM	2 Gb			
	Flash	16 Gb EMMC			
	Ports	USB 2.0			
	LAN	10M/100M Ethernet			
	Wi-Fi	Built-in WIFI (2.4G single frequency), BT4.2			

Environmental	Temperature (Consumer)	Consumer Panel: -5°C +45°C (Operating) / -10°C +50°C (Storage)			
	Temperature (Industrial)	Industrial Panel (Opt.): -25°C +75°C (Operating) / -45°C +85°C (Storage)			
	Humidity	10% ~ 80% (Operating) / 5% ~ 95% (Storage)			

Accessory	Included	Power Cable, HDMI Cable, Wallmount Brackets, Remote Controller			
	Others	-			

Type of packaging	Net Weight (Kg)	29 Kg (1 Pcs)	39.50 Kg (1 Pcs)	57.3 Kg (1 Pcs)	-
	Gross Weight (Kg)	43.6 Kg (1 Pcs)	56.9 Kg (1 Pcs)	64 Kg (1 Pcs)	-
	Net Item Size (L x W x H mm)	1450x57x830	1680x57x952	1926x63x1097	-
	Packing Size (L x W x H mm)	1600x205x985	1835x210x1120	2140x230x1214	-

Optional	Remark 1				
	Remark 2				

Note	World Trade Display designs and markets a very wide range of LCD/LED monitors in different sizes, from 7" up to 110" inches, always modern and elegant in shape. These screens are perfect for hanging on the wall or for installing on special self-supporting structures, ideal for exhibition stands, congresses, events or conferences. New WTD monitor designs are now a reality in the world of luxury hospitality.				
------	---	--	--	--	--



Display & Digital Signage Solutions

World Trade Display reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products. WTD, World Trade Display it's a registered trademarks of World Trade Display Srl. All other trademarks are the property of their respective owners. Copyright World Trade Display Srl. All rights reserved.